

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2161185	vehicle or car or automobile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 15:51
L2	74070	1 and (crash\$3 or collide or collision)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 15:52
L3	580553	"3" and (shock absorber or suspension)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 15:43
L4	6252	2 and (shock absorber or suspension)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 15:52
L5	151	4 and (height adjust\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 15:52
L6	15	5 and bladder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 16:29
L7	15	6 and (fluid or oil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 16:26
L8	11	7 and valve	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 16:20
L9	1	8 and ((speed or velocity) near3 (vehilce or car))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 15:47
L10	9	8 and ((speed or velocity) near3 (vehicle or car))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 16:11

L11	959	701/37,38,39.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 15:48
L12	1093	701/301.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 15:49
L13	224	280/5.5,5.504.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 15:49
L14	879	293/102,103,107,110.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 15:50
L15	633	293/132,134,142.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 15:50
L16	3610	11 or 12 or 13 or 14 or 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 15:51
L17	2930	16 and (vehicle or car or automobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 15:51
L18	1091	17 and (crash\$3 or collide or collision)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 15:52
L19	194	18 and (shock absorber or suspension)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 15:52
L20	7	19 and (height adjust\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 15:56

L21	1	20 and bladder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 15:56
L22	1	21 and (fluid or oil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 15:53
L23	1	22 and valve	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 15:53
L24	1	23 and ((speed or velocity) near3 (vehicle or car))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 15:54
L25	36	5 and bumper	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 16:41
L26	2	25 and bladder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 16:30
L27	203	342/72.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 16:42
L28	15	27 and (shock absorber or suspension)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/04/20 16:43